

Significant Properties

Significant properties accessed from a local library are view-only and cannot be edited by individual institutions. Like classification groups and applications, they are based on a master global library that a small number of Rosetta users maintain.

For information on significant properties at the global level, see [Significant Properties at the Global Library Level](#).

Significant Properties in the Local Library

To access significant properties, follow the menu path **Preservation > Format Library > List of Significant Properties**. The List of Significant Properties page opens.

	Name	Description	Type	Creator	Modification date	
1	AES.analogDigitalFlag	-	TEXT	Ex Libris	17/07/2013	View
2	AES.bitDepth	-	TEXT	Ex Libris	17/07/2013	View
3	AES.bitRateReductionDataRate	-	TEXT	Ex Libris	17/07/2013	View
4	AES.bitRateReductionDataRateMode	-	TEXT	Ex Libris	17/07/2013	View
5	AES.byteOrder	-	TEXT	Ex Libris	17/07/2013	View
6	AES.channelAssignment	-	TEXT	Ex Libris	17/07/2013	View
7	AES.channels	-	TEXT	Ex Libris	17/07/2013	View
8	AES.codecCreatorApplication	-	TEXT	Ex Libris	17/07/2013	View
9	AES.codecCreatorApplicationVersion	-	TEXT	Ex Libris	17/07/2013	View
10	AES.codecName	-	TEXT	Ex Libris	17/07/2013	View


List of Significant Properties page

The List of Significant Properties page shows a name and description for each property as well as the type of data for indexing, the creator of the property, and the date modified.

To search for a particular property, enter a search term in the **Find** search box, select a field to search, and click **Go**.


Viewing Significant Properties

Significant property details can be viewed by clicking the name of the property or the **View** text in the row of the property you want to view. The details open on the Significant Properties Details page.



Significant Properties Details Page

To view the history of the property, including any changes made at the global level, click the **History** tab.



Significant Properties History Page

You can view the history by type (local, global, or both) and by version.

Significant Properties at the Global Library Level

Significant properties can be managed using a spreadsheet, as they have been in previous Rosetta versions. In order for them to be available for use with the classification group and extractors, however, any additions or changes to the properties must occur in the Preservation user interface.

Note

Significant properties can be added or edited, but their names cannot be changed once they are entered into the system (in case files stored in the permanent repository are using them). They cannot be deleted from the system.

To access the List of Significant Properties, from the main Rosetta menu, click **Preservation > Manage Global Format Library > Significant Properties**. The List of Significant Properties page opens.

Preservation: Significant Properties

Find: in: All

Add Significant Property View Default Paging 1 - 10 of 869 records 1 2 3 > >> ⚙

	Name	Description	Type	Creator	Modification date		
1	AES.analogDigitalFlag	-	TEXT	Ex Libris	17/07/2013	View	Edit
2	AES.bitDepth	-	TEXT	Ex Libris	17/07/2013	View	Edit
3	AES.bitRateReductionDataRate	-	TEXT	Ex Libris	17/07/2013	View	Edit
4	AES.bitRateReductionDataRateMode	-	TEXT	Ex Libris	17/07/2013	View	Edit
5	AES.byteOrder	-	TEXT	Ex Libris	17/07/2013	View	Edit
6	AES.channelAssignment	-	TEXT	Ex Libris	17/07/2013	View	Edit
7	AES.channels	-	TEXT	Ex Libris	17/07/2013	View	Edit
8	AES.codecCreatorApplication	-	TEXT	Ex Libris	17/07/2013	View	Edit
9	AES.codecCreatorApplicationVersion	-	TEXT	Ex Libris	17/07/2013	View	Edit
10	AES.codecName	-	TEXT	Ex Libris	17/07/2013	View	Edit

1 - 10 of 869 records 1 2 3 > >>

List of Significant Properties - Global

The List of Significant Properties displays the same information for the global management view as it does for the local view. It also allows Global Administrators the following additional actions:

- Editing an existing property (in addition to viewing, which exists also at the local level)
- Adding a new property

If you are a Global Administrator, following the instructions in [Adding and Editing Significant Properties](#) to perform either of these actions.

Adding and Editing Significant Properties

To add or edit a significant property:

1. To add a new significant property, click the **Add Significant Property** button at the top of the property list. To edit an existing significant property, you can search for the property by typing text in the **Find** search box, selecting a field to search, and clicking **Go**. From the results list, find the property you want to edit and click the **Edit** link in its row.

Preservation: Significant Properties / Details

Created on 17/07/2013 Updated on 17/07/2013
Created by Ex Libris Updated by Ex Libris

General Details **History**

* Name AES.channelAssignment * Type Text

Description

General Details for Editing

2. If you are editing a property, the **Name** value cannot be changed. If you are adding a property, you must enter a name for the new property.
3. Select or change the property type (for indexing).

4. Enter or edit an optional description for the significant property.
5. Click **Apply** to save changes and remain on the page, **Save** to save changes and return to the List of Significant Properties.

The system saves the property so that it can be used by other Preservation components.