

Available Fields for Rapido Letters

With Rapido developments, more fields have been made available to use in letters related to Rapido workflows. These fields are not added in the default template of the letter so that the libraries using the default templates are not impacted by these changes. Instead, utilize the provided code to add a field to a letter where that data is not available.

Fields not available in default letters

Field	XML Field	Code to Add Field to Letter	Letters Field Can Be Added To
Borrowing institution	notification_data/ partner_name	<pre data-bbox="524 306 1317 575"> <xsl:if test="notification_data/partner_name != ''" > <tr> <td>@@supplied_to@@: <xsl:value-of select="notification_data/partner_name"/></td> </tr> </xsl:if> </pre>	<ul data-bbox="1365 321 1529 575" style="list-style-type: none"> • Resource Sharing Return Slip Letter • Ful Incoming Slip Letter • Ful Resource Request Slip Letter
Group Qualifier	group_qualifier	<pre data-bbox="524 653 1317 821"> <tr><td> Group Qualifier: <xsl:value-of select="notification_data/group_qualifier"/ > </td></tr> </pre> <hr/> <p data-bbox="542 873 967 947">Note Note: The request id format is 0//00000000.</p> <hr/>	<ul data-bbox="1365 663 1529 1031" style="list-style-type: none"> • Ful Incoming Slip Letter • Ful Resource Request Slip Letter • Resource Sharing Receive Slip Letter • Resource Sharing Return Slip Letter
Renewals Allowed	renewals_allowed	<pre data-bbox="524 1115 1317 1272"> <tr><td> Allow renewals: <xsl:value-of select="notification_data/renewals_ allowed"/> </td> </tr> </pre>	<ul data-bbox="1365 1115 1529 1608" style="list-style-type: none"> • Ful Incoming Slip Letter • Resource Sharing Shipping Slip Letter • Ful Resource Request Slip Letter • Resource Sharing Receive Slip Letter • Resource Sharing Return Slip Letter
Rapido POD	pod_id pod_name	<pre data-bbox="524 1692 1317 1944"> <xsl:if test="notification_data/pod_name" > <tr><td> Pod name: <xsl:value-of select="notification_data/pod_name"/> </td></tr> </xsl:if> <xsl:if test="notification_data/pod_id" > <tr> </pre>	<ul data-bbox="1365 1692 1529 1829" style="list-style-type: none"> • Ful Incoming Slip Letter • Ful Resource Request Slip Letter

		<pre> <td> Pod ID: <xsl:value-of select="notification_data/pod_id"/> </td> </tr> </xsl:if> </pre>	
Borrowing Library Address Information	borrowing_library_address	<pre> <table> <xsl:attribute name="style"> <xsl:call-template name="listStyleCss" /> <!-- style.xml --> </xsl:attribute> <tr><td><xsl:value-of select="notification_data/borrowing_library_address/line1"/></td></tr> <tr><td><xsl:value-of select="notification_data/borrowing_library_address/line2"/></td></tr> <tr><td><xsl:value-of select="notification_data/borrowing_library_address/line3"/></td></tr> <tr><td><xsl:value-of select="notification_data/borrowing_library_address/line4"/></td></tr> <tr><td><xsl:value-of select="notification_data/borrowing_library_address/line5"/></td></tr> <tr><td><xsl:value-of select="notification_data/borrowing_library_address/postal_code"/></td></tr> <tr><td><xsl:value-of select="notification_data/borrowing_library_address/country_display"/></td></tr> </table> </pre>	<ul style="list-style-type: none"> • Ful Incoming Slip Letter • Ful Resource Request Slip Letter • Resource Sharing Receive Slip Letter • Resource Sharing Return Slip Letter
Partner Code	partner_code	<pre> <tr><td> Partner Code: <xsl:value-of select="notification_data/partner_code"/> </td></tr> </pre>	<ul style="list-style-type: none"> • Ful Incoming Slip Letter • Ful Resource Request Slip Letter • Resource Sharing Receive Slip Letter • Borrower Overdue Email Letter
Library Location for Institutions with Multiple Libraries	pickupLibraryName	<pre> <xsl:if test="notification_data/pickup_library_name !=''"> <tr> <td> Pickup library: <xsl:value-of select="notification_data/pickup_library_name"/> </td> </tr> </xsl:if> </pre>	<ul style="list-style-type: none"> • Resource Sharing Receive Slip Letter • Resource Sharing Return Slip Letter

Internal request ID	resource_sharing_request_id	<pre> <td> Internal request ID: </td> </pre>	<ul style="list-style-type: none"> • Ful Incoming Slip Letter • Ful Resource Request Slip Letter
Alternate Symbol	notification_data/alternate_symbol	<pre> <xsl:if test="notification_data/alternate_symbol !=''"> <tr> <td> Alternate Symbol: <xsl:value-of select="notification_data/ alternate_symbol"/> </td> </tr> </xsl:if> </pre>	<ul style="list-style-type: none"> • Ful Incoming Slip Letter • Resource Sharing Shipping Slip Letter • Resource Sharing Return Slip Letter
Shipping Address (for Rapid Returnables pod)	address1 address2 address3 address4 address5	<pre> <xsl:for-each select="notification_data/partner_shipping_ info_list/partner_shipping_info">
</br> <table cellspacing="0" cellpadding="5" border="0"> <xsl:attribute name="style"> <xsl:call-template name="listStyleCss" /> <!-- style.xml --> </xsl:attribute> <tr><td><xsl:value-of select="address1"/></td></ tr> <tr><td><xsl:value-of select="address2"/></td></ tr> <tr><td><xsl:value-of select="address3"/></td></ tr> <tr><td><xsl:value-of select="address4"/></td></ tr> <tr><td><xsl:value-of select="address5"/></td></ tr> </table> </xsl:for-each> </pre>	<ul style="list-style-type: none"> • Ful Resource Request Letter
Shipping Address (for Rapid Returnables pod)		<pre> <xsl:if test="notification_data/partner_address/line1 !=''"> <tr> <td> <xsl:value-of select="notification_data/partner_ address/line1"/> </td> </tr> </pre>	<ul style="list-style-type: none"> • Resource Sharing Receive Slip Letter

		<pre> </xsl:if> <xsl:if test="notification_data/partner_address/line2 !=''"> <tr> <td> <xsl:value-of select="notification_data/partner_ address/line2"/> </td> </tr> </xsl:if> <xsl:if test="notification_data/partner_address/line3 !=''"> <tr> <td> <xsl:value-of select="notification_data/partner_ address/line3"/> </td> </tr> </xsl:if> <xsl:if test="notification_data/partner_address/line4 !=''"> <tr> <td> <xsl:value-of select="notification_data/partner_ address/line4"/> </td> </tr> </xsl:if> <xsl:if test="notification_data/partner_address/line5 !=''"> <tr> <td> <xsl:value-of select="notification_data/partner_ address/line5"/> </td> </tr> </xsl:if> </pre>	
<p>Shipping Address</p> <p>(for Rapid Returnables pod)</p>		<pre> <xsl:if test="notification_data/borrowing_library_ address/line1 !='"> <tr> <td> <xsl:value-of select="notification_data/ borrowing_library_address/line1"/> </td> </tr> </xsl:if> <xsl:if test="notification_data/borrowing_library_ address/line2 !='"> <tr> <td> <xsl:value-of select="notification_data/ borrowing_library_address/line2"/> </td> </tr> </pre>	<ul style="list-style-type: none"> • Ful Incoming Slip Letter

		<pre> </tr> </xsl:if> <xsl:if test="notification_data/borrowing_library_ address/line3 !=''"> <tr> <td> <xsl:value-of select="notification_data/ borrowing_library_address/line3"/> </td> </tr> </xsl:if> <xsl:if test="notification_data/borrowing_library_ address/line4 !=''"> <tr> <td> <xsl:value-of select="notification_data/ borrowing_library_address/line4"/> </td> </tr> </xsl:if> <xsl:if test="notification_data/borrowing_library_ address/line5 !=''"> <tr> <td> <xsl:value-of select="notification_data/ borrowing_library_address/line5"/> </td> </tr> </xsl:if> </pre>	
eBook terms		<pre> <xsl:if test="&#36;deliveryTime != '' or &#36;loanPeriod != '' or &#36;patronCost != ''"> @@borrowing_terms@@: <xsl:if test="&#36;deliveryTime != ''"> @@deliver_in@@ <xsl:value-of select="&#36;deliveryTime"/> <xsl:value-of select="'' '' /> @@hours@@ <xsl:value-of select="'' '' /> </xsl:if> <xsl:if test="&#36;loanPeriod != ''"> @@keep_for@@ <xsl:value-of select="&#36;loanPeriod"/ > <xsl:value-of select="'' '' /> @@days@@ <xsl:value-of select="'' '' /> </xsl:if> <xsl:if test="&#36;patronCost != ''"> @@price@@ <xsl:value-of select="&#36;patronCost"/ > </xsl:if> </pre>	<ul style="list-style-type: none"> • Document Delivery Notification Letter

		<pre> </xsl:if> <xsl:if test="(notification_data/resource_sharing_ request/due_date != '') and (\$isEbook='true')"> <tr> <td>@@due_date@@:<xsl:value-of select="notification_data/resource_sharing_request/due_ date"/> </td> </tr> </xsl:if> </pre>	
eBook terms		<pre> <xsl:variable name="deliveryTime" select="/notification_ data/delivery_time" /> <xsl:variable name="loanPeriod" select="/notification_ data/loan_period" /> <xsl:variable name="patronCost" select="/notification_data/patron_cost" /> <xsl:variable name="isEbook" select="notification_data/resource_sharing_request/book_ indication" /> <xsl:if test="\$deliveryTime != '' or \$loanPeriod != '' or \$patronCost != ''"> @@borrowing_terms@@: <xsl:if test="\$deliveryTime != ''"> @@deliver_in@@ <xsl:value-of select="\$deliveryTime"/> <xsl:value-of select="' '" /> @@hours@@ <xsl:value-of select="' '" /> </xsl:if> <xsl:if test="\$loanPeriod != ''"> @@keep_for@@ <xsl:value-of select="\$loanPeriod"/> <xsl:value-of select="' '" /> @@days@@ <xsl:value-of select="' '" /> </xsl:if> <xsl:if test="\$patronCost != ''"> @@price@@ <xsl:value-of select="\$patronCost"/> </xsl:if> </xsl:if> <xsl:if test="(notification_data/incoming_request/due_ date != '') and (\$isEbook='true')"> <tr> <td>@@due_ date@@:<xsl:value-of select="notification_data/incoming_ request/due_date"/> </td> </tr> </xsl:if> </pre>	<ul style="list-style-type: none"> • Ful Digitization Notification Item Letter

eBook terms		<pre> <xsl:variable name="deliveryTime" select="/notification_ data/delivery_time" /> <xsl:variable name="loanPeriod" select="/notification_ data/loan_period" /> <xsl:variable name="patronCost" select="/notification_data/patron_cost" /> <xsl:variable name="isEbook" select="notification_data/resource_sharing_request/book_ indication" /> <xsl:if test="notification_data/new_terms_exist='true'"> <tr> <td> <xsl:if test="notification_data/ ngrs_request/delivery_time != '0' and notification_data/ ngrs_request/loan_period != '0'"> @@to@@ <xsl:value-of select="notification_data/ngrs_request/ delivery_time" /> <xsl:if test="notification_data/new_ offer_format = 'Digital'"> @@keepForEbook@@ </xsl:if> <xsl:if test="notification_ data/new_offer_format != 'Digital'"> @@keepFor@@ </xsl:if> <xsl:value-of select="notification_ data/ngrs_request/loan_period" /> @@days@@ </xsl:if> <xsl:if test="notification_data/ngrs_request/delivery_time = '0'"> @@toRota@@ @@deliveryNotExist@@ <xsl:value-of select="notification_ data/ngrs_request/loan_period" /> @@days@@ </xsl:if> <xsl:if test="notification_data/ngrs_request/loan_period = '0'"> @@to@@ <xsl:value-of select="notification_ data/ngrs_request/delivery_time" /> @@loanPeriodNotExist@@ </xsl:if> <xsl:if test="notification_data/new_cost !=''"> @@costToPatron@@ <xsl:value-of select="notification_ data/new_cost" /> <xsl:value-of select="' ' " /> <xsl:value-of select="notification_ data/currency" /> </pre>	<ul style="list-style-type: none"> • Change Rapido Request Terms Letter

		<pre> </xsl:if> <xsl:if test="notification_data/new_cost =' ' and notification_ data/old_cost !=' ' "> @@costIsUnkown@@ </xsl:if> <xsl:if test="notification_data/offer_format_changed ='true' and notification_data/new_offer_format ='Digital' "> @@digital@@ @@format@@ </xsl:if> <xsl:if test="notification_data/offer_format_changed ='true' and notification_data/new_offer_format ='Physical' "> @@physical@@ @@format@@ </xsl:if> </td> </pre>	
Without authentication	notification_data/download_url_no_authentication	<pre> </xsl:if> <xsl:if test="notification_data/resource_ sharing_no_authentication_document_delivery = 'true' and notification_data/download_url_no_authentication != ' ' "> <tr> <td>@@without_authentication@@<a> <xsl:attribute name="href"> <xsl:value-of select="notification_data/download_url_no_authentication" /> </xsl:attribute>@@click_ here@@ </td> </tr> </xsl:if> </pre>	<ul style="list-style-type: none"> • Document Delivery Notification Letter
New for December! Pickup partner information	/notification_data/pickup_partner_address	<pre> <xsl:if test="/notification_data/incoming_request/ pickup_partner_local_member_id != ' ' " > <table> <xsl:attribute name="style"> <xsl:call-template name="listStyleCss" /> <!-- style.xml --> </pre>	<ul style="list-style-type: none"> • Ful Incoming Slip Letter

```
</xsl:attribute>

<tr><td><xsl:value-of select="/notification_data/pickup_
partner_address/line1"/></td></tr>

<tr><td><xsl:value-of select="/notification_data/pickup_
partner_address/line2"/></td></tr>

<tr><td><xsl:value-of select="/notification_data/pickup_
partner_address/line3"/></td></tr>

<tr><td><xsl:value-of select="/notification_data/pickup_
partner_address/line4"/></td></tr>

<tr><td><xsl:value-of select="/notification_data/pickup_
partner_address/line5"/></td></tr>

<tr><td><xsl:value-of select="/notification_data/pickup_
partner_address/postal_code"/></td></tr>

<tr><td><xsl:value-of select="/notification_data/pickup_
partner_address/country_display"/></td></tr>

</table>
</xsl:if>
```