
Names appear interspersed with call numbers in "ALL Call numbers" Browse

- **Article Type:** General
 - **Product:** Aleph
 - **Product Version:** 20
-

Problem Symptoms:

In the GUI "ALL Call numbers" Browse, names appear interspersed with the call numbers.

Cause:

Inclusion of professors' copies, with the professor's name as the z30_call_no and "0" as the z30_call_no_type.

Resolution:

Change the z30_call_no_type of these items from "0" to "6" (or some other z30_call_no_type) and omit that type from the "ALL" index.

Additional Information

Site's specific case:

Between 'BD1112 Y11.2005' and 'BF1 A38', there are names (beginning with "BE...") instead of call numbers.

Analysis:

The "ALL Call numbers" index is built from the LOC fields: the xxx01 tab11_ind has the following line:

```
LOC# ALL hi
```

And the xxx01 z11 shows the following:

```
xxx01@ALEPH20> select z11_rec_key from z11 where z11_rec_key like 'ALL bea%';
```

```
Z11_REC_KEY
```

```
-----  
ALL beaudry, raymond 0 000090045 <---  
ALL beaudry, raymond 0 000093501  
ALL beaudry, raymond 0 000121426  
ALL beaudry, raymond 0 030153827  
ALL beaulieu, lucie 0 000197633  
ALL beaulieu, lucie 0 030010950  
ALL beaulieu, lucie 0 030145684  
ALL beaulieu, lucie 0 030313755  
ALL beaulieu, lucie - desch??nes, jean-s??bastien 0 000043550  
ALL beaulieu, lucie - desch??nes, jean-s??bastien 0 000100925
```

ALL beaulieu, lucie - desch??nes, jean-s??bastien 0 030168112
ALL beaulieu, lucie - desch??nes, jean-s??bastien 0 030181454
ALL beaulieu, michel 0 000079725
ALL beaulieu, michel 0 000915244
ALL beaupr??, pauline 0 000104456
ALL beaupr??, pauline 0 000326661
ALL beaupr??, pauline 0 000327337
ALL beaupr??, pauline 0 030075583

The name has been placed in the item's z30_call_no field. From xxx01 util f/4 (for doc # 90045):

Reading 000090045:

...
PST0 L \$\$0Z30\$\$1000016558000010\$\$bMAIN\$\$cRBRT\$\$oMONO\$\$d03\$\$fY\$\$rXXX60-000190955\$\$n0\$\$hBeaudry,
Raymond\$\$3Book\$\$4Main Library\$\$5Reserve Room \$\$6Reserve

and the xxx50 util f/4: (for z30):

02 z30_rec_key
03 doc_number000016558 <---
03 item_sequence000010
02 z30_barcodeR01710307
02 z30_sub_libraryRIRB
02 z30_materialMONO
02 z30_item_status03
02 z30_open_date19961127
02 z30_update_date20120827
02 z30_catalogerCONV
02 z30_date_last_return20120614
02 z30_hour_last_return1541
02 z30_ip_last_return132.215.13.42
02 z30_no_loans032
02 z30_alphaL
02 z30_collectionRBRT
02 z30_call_no_type0
02 z30_call_noBeaudry, Raymond <---
<etc.>

Rather than giving these "call number"s a z30_call_no_type of "0" ("Library of Congress classification"), give them a type of "6" (Shelved separately), and then do this in tab11_ind:

LOC0# ALL hi
LOC1# ALL hi
LOC2# ALL hi
LOC3# ALL hi
LOC4# ALL hi
LOC5# ALL hi
LOC7# ALL hi
LOC8# ALL hi
LOC9# ALL hi

that is, include all LOC fields in the "ALL" index except those with first indicator "6".

Category: Cataloging (500)

Subject: Search

- **Article last edited:** 10/8/2013