

---

## MARC 868 fields display twice in the OPAC

- **Article Type:** General
  - **Product:** Voyager
  - **Product Version:** 7.2.2
- 

### Problem Symptoms:

? "Indexes" fields display twice in the OPAC.

? Holdings records do not contain duplicate MARC 868 fields.

### Cause:

File displayHoldings.xml has redundant specifications.

### Resolution:

Edit /m1/voyager/xxxdb/tomcat/vwebv/context/vwebv/ui/[skin]/xsl/contentLayout/configs/displayHoldings.xml to remove existing redundant specifications for 868 field display.

---

## Additional Information

Example: displayHoldings.xml containing redundant data;

```
<holdingsTags label="Indexes:">  
<displayTag field="1044" />  
<displayTag field="868" indicator1="X" indicator2="X" subfield="az" />  
<displayTag field="1024" />  
</holdingsTags>
```

Note: in the example above, the 1024 line and the 868 line cause the Indexes to display twice.

Example: displayHoldings.xml with redundancy commented out

```
<holdingsTags label="Indexes:">  
<displayTag field="1044" />  
<!-- <displayTag field="868" indicator1="X" indicator2="X" subfield="az" /> -->  
<displayTag field="1024" />  
</holdingsTags>
```

See also [Webvoyage Architecture Overview and Configuration Models](#).

**Category:** Opac

---

- **Article last edited:** 10/8/2013