
Four blanks inserted before text in plain forms

- **Article Type:** General
 - **Product:** Aleph
 - **Product Version:** 20
-

Problem Symptoms:

- * when we send forms via e-mail in plain format , the plain-funcs inserts blanks at the beginning of some text lines
- * this concerns all forms of the ILL module
- * example: ill-patron-letter-a-00.xsl

Cause:

Error in xsl print template.

Resolution:

This problem has been corrected with rep_change 2165 (Aleph 21):

Fix Number: 002165

Date: 2012-10-25 10:23:10

Description: ILL print template sent by the system in plain text format - Some of the text in the body of the message was indented by four characters, this has been corrected in all ill librarys.

..

Implementation Notes:

1) If localization is required, change in ./[ILL library]/form_lng/plain-funcs-misc.xsl:

Change:

```
<xsl:template name="close-row">
<xsl:param name="display"/>
<xsl:if test="$display !=" ">
<xsl:text disable-output-escaping="yes">&lt;/td&gt;&lt;/tr&gt;</xsl:text>
</xsl:if>
</xsl:template>
```

```
<xsl:template name="open-row">
<xsl:text disable-output-escaping="yes">
</xsl:text>
</xsl:template>
```

To:

```
<xsl:template name="close-row">
</xsl:template>
```

```
<xsl:template name="open-row">
<xsl:call-template name="new-line"/> </xsl:template>
```

2) Run util/i/6.

Category: Printing (500)

- **Article last edited:** 10/8/2013