

---

## Several subfields in xxx50/tab/tab\_acq\_index

- **Article Type:** Q&A
  - **Product:** Aleph
  - **Product Version:** 20
- 

### Question

After moving to GND (German Authority Database) where an author/corporate author field can have different subfields it's no longer correct to have only subfield "a" listed in tab\_acq\_index but we need several subfields. In tab\_acq\_index only 5 fields/subfields can be added in one line. Can we add a second line?

Example:

Line in tab\_acq\_index now (no GND format)

```
! 1 2 3 4 5 6
```

```
!!!!-!!!!-!!!!-!!!!-!!!!-!!!!
```

```
PER 100##a 104##a 108##a 112##a 200##a
```

Should be the following (GND format)

```
! 1 2 3 4 5 6
```

```
!!!!-!!!!-!!!!-!!!!-!!!!-!!!!
```

```
PER 100##p 100##c 110##k 110##b 111##e
```

```
PER 111##b
```

---

### Answer

It's not possible to have two lines for one index (PER). Don't add the specific subfields but let a space there, then all subfields will be considered.

Example

```
! 1 2 3 4 5 6
```

```
!!!!-!!!!-!!!!-!!!!-!!!!-!!!!
```

```
PER 100## 110## 111##
```

---

### Additional Information

Only relevant for MAB customers working with GND (German National Authority Database)

**Category:** Acquisitions (500)

**Subject:** Orders (500)

---

- **Article last edited:** 10/8/2013