
Status that allow patrons to delete holds

- **Article Type:** Q&A
 - **Product:** Aleph
 - **Product Version:** 20
-

Question

In which cases patrons are allowed to initiate the deletion of hold requests via OPAC / RESTful API?

Answer

Patrons are allowed to delete all hold requests except records that have Z37-STATUS = "A" and Z37-PRINT-STATUS = "P".

Additional Information

In OPAC deletion of records on hold shelf (Z37-STATUS = "S") is only allowed when rep_change 2140 (Aleph 20) is installed and implemented.

See implementation notes of rep_change 2140

Implementation Notes:

To activate the new functionality you have to activate the placeholders for the DELETE button in the following files:

- ./alephe/www_f_lng/bor-hold-exp

After line

\$0700

add the following line:

\$2300

- ./alephe/www_f_lng/bor-title-body

Change the line

<td class=td1 valign=top>\$2000</td>

to

<td class=td1 valign=top>\$2000\$2100</td>

- ./alephe/www_f_lng/bor-title-exp

Change the line

<td class=td1> \$2000</td>

to

<td class=td1> \$2000\$2100</td>

and after line

\$0700

add the following line:

\$2300

Category: Circulation (500)

Subject: Hold requests (500)

- **Article last edited:** 10/8/2013