How to change field content and create a new field

- **Article Type:** General
- **Product:** Aleph
- **Product Version:** 20

Desired Outcome Goal:
- Change content of field 690#8 from “ABC” to “GHI”
- Add new fields 690#8 with “GHI” when no field 690#8 is available
Required actions should be done when loading records using “Load ALEPH Sequential MARC Records (manage-18)”

Procedure:
Add the following fix routines in directory xxx01/tab/import:

690_fix [Changes "DEF" to "GHI" in field 690#8]
```
! 2 3 4 5 6 7 8 9
!-!!!!!-!!-!-!!!-!!!-!!!!!-!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!-!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
1 690#8 REPLACE-STRING $$aDEF,$$aGHI
```

6902_fix [Adds a new field 690#8 with "GHI" if no field 690#8 is in the record]
```
! 2 3 4 5 6 7 8 9
!-!!!!!-!!-!-!!!-!!!-!!!!!-!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!-!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
2 690#8 COND-LOAD-VAL-FIELD Y
2 LDR ADD-FIELD 690 8,L,$$aGHI
```

Add the routines to xxx01/tab/tab_fix
```
690 fix_doc_do_file_08 690_fix
690 fix_doc_do_file_08 6902_fix
```

PC server has to be restarted in order to activate the settings.

When running p_manage_18 for loading records assign fix routine 690 and the required fields are created/modified.

Category: Cataloging (500)

Subject: Services

- **Article last edited:** 10/8/2013