
p_publish_06: header status deleted for STA=suppressed

- **Article Type:** General
 - **Product:** Aleph
 - **Product Version:** 20, 21, 22, 23
-

Question

How can we apply the <header status="deleted"> in the xml records generated by publish-06 for records that have the STA=suppressed?

And how can we restore the normal <header> when we remove the STA=suppressed?

We do not want records automatically created via the acq-request function with STA=suppressed to be published and visible in Primo, but we do want them to be published and visible in Primo once we complete the order and remove the STA=suppressed.

Answer

The following is in \$alephe_tab/tab_base.ing:

```
! 1 2 3 4 5  
!!!!!!!!!!!!!!!!!!!!!!!!!!!!-!!!!!!!!!!!!!!!!!!!!!!!!!!!!-!-!!!!!!!!-!!!!!!!!!!!!!!!!!!!!  
PRIMO-ABC ABC01PUB N PRIMO MARC_XML
```

The inclusion of ABC01PUB as the base in col. 2 means that only records in the ABC01PUB base {alldocuments not (wown=CDDCM ... or wst=suppressed)} will be included in the z00p. p_publish_06 reads the z00p to produce its output file.

When the wst=suppressed is removed, a z00p *will* then be created for the record.

Additional Information

For already existing records only STA=DELETED leads to unpublishing from Primo. In that case the status of the Z00P record is set to DELETED and accordingly reported to Primo.

-
- **Article last edited:** 31-Oct-2016