

Avoid huge Publishing extract after HEADINGS regen

- **Product:** Voyager
 - **Product Version:** 9
 - **Relevant for Installation Type:** Dedicated-Direct; Direct; Local
-

Question

Keep from unnecessarily re-extracting a large portion of the database after a HEADINGS regen?

Answer

1. Before beginning HEADINGS regen, manually run a Publishing extract: `/m1/voyager/xxxdb/sbin/PprimoExp.pub -f ../ini/PrimoExp-Publishing.ini`
2. Run the HEADINGS regen.
3. Set `HeadingChanges=N` in `PrimoExp-Publishing.ini`
4. Manually run the Publishing extract again.
5. Set `HeadingChanges=Y` in `PrimoExp-Publishing.ini`

OR

Instead of steps 3-5, update the date in `ChangedSince.txt` to reflect a date/time shortly after the HEADINGS regen completed.

Additional Information

After a HEADINGS regen, the `CREATE_DATE` of headings is updated to the date of the regen.

The next time the Publishing extract is run, any bib with a heading that has been updated since the last Publishing extract (i.e., any bib with a heading) will be extracted if you have `HeadingChanges=Y` in the configuration file.

This process allows the Publishing extract to avoid picking up all bibles with headings and to only pick up changed bibles and bibles with changed headings to update Primo.

- **Article last edited:** 29-May-2014