
Add new search index to Basic Search

- **Article Type:** Q&A
 - **Product:** Voyager
 - **Relevant for Installation Type:** Dedicated-Direct; Direct; Local
-

Question

How to add a new index to Basic Search options in WebVoyage?

Answer

1. Connect to server as voyager user.
 2. /m1/voyager/xxxdb/tomcat/vwebv/context/vwebv/ui/{skin}
 3. Open webvoyage.properties to edit.
 4. Find "Search Basic" section.
 5. Identify order number for index. Must be unique.
 6. Decide on key for index. Must be unique.
 7. Add 4 lines for new index, using order number (step 5) and key (step 6).
 8. Save changes.
-

Additional Information

Example:

- Order numbers in use are 1, 2, 3, 4, 7, 8, 10
- New index will use 9 as order number (unique - not in use)
- New index will use nameHeadingBrowse (unique - not in use)
- Note that if a non-unique order number or key is used, index may not display in interface

Resulting addition to webvoyage.properties:

```
page.search.basic.search.code.nameHeadingBrowse=  
page.search.basic.search.code.nameHeadingBrowse.code=NAME+  
page.search.basic.search.code.nameHeadingBrowse.order=16  
page.search.basic.search.code.nameHeadingBrowse.display=Name Headings Search
```

See comments for Search Basic section in webvoyage.properties file for additional instructions and modifiers for search codes.

Category: OPAC

- **Article last edited:** 9/5/2014