


A-Z列表

Note

如果您正在使用Primo VE，见[配置Primo VE的期刊检索](#)。

[返回到菜单](#)

Primo在使用Alma的网站上用电子期刊A-Z列表显示通过普通发布渠道从Alma获取的记录。A-Z列表的链接位于Primo的主菜单，需要按以下步骤在视图向导的主菜单页面定义。



Code	Label	URL	Link should open in
library_search	Library Search	/action/se	current window
tags	Tags	/action/ta	current window
atoz	A-Z		current window

视图向导中的主菜单（A到Z链接）

Note

如果上面的行被移除，您可以创建一个含有 **atoz** 标签的新行来创建**atoz** 代码。记得将URL字段留空。添加行后，您可以修改标签。

Primo使用下列PNX字段为有Alma数据的机构创建电子期刊A-Z列表：

- 检索/检索范围 – 出厂值， **Alma MARC - 模板** 模板从机构创建A-Z 检索范围，仅包括资源类型设置为 **期刊** 和传递种类设置为**Alma-E** 或**在线资源** 的记录以确保只含有电子期刊。A-Z检索范围值必须是下列格式：

AZ<institution code>

要包括附加资源类型（例如，**报纸**），添加下列检索/检索范围规则到您的规范化规则：

- 对于标准发布，当传递种类是**Alma-E**时使用下列规则：

Rule group search_searchscope

Source Type: PNX Value: delivery/institution Enabled

Conditions logic: True Conditions relation: And

Condition 1 - Logic: True

Condition 1 - Source Type: PNX Value: delivery/delcategory Success If: Match Last

Condition1 - Routines

General Parameter:

Routine: Check that string exists Parameter: Alma-E

Condition 2 - Logic: True

Condition 2 - Source Type: PNX Value: display/type Success If: Match Last

Condition2 - Routines

General Parameter:

Routine: Check that string exists Parameter: newspaper

Transformations

Transformation: Copy As Is Parameter:

Add to beginning of string AZ

Behavior

Action: ADD

标准发布的A-Z检索范围规则 (Alma-E)

- 对于标准发布，当传递种类是在线资源时使用下列规则：

Rule group: search_searchscope

Source: Type: PNX, Value: delivery/institution, Enabled:

Conditions logic: True, Conditions relation: And

Condition 1 - Logic: True

Condition 1 - Source: Type: PNX, Value: delivery/delcategory, Success If: Match Last

Condition 1 - Routines:

Routine	Parameter
Check that string exists	Online Resource

Condition 2 - Logic: True

Condition 2 - Source: Type: PNX, Value: display/type, Success If: Match Last

Condition 2 - Routines:

Routine	Parameter
Check that string exists	newspaper

Transformations:

Transformation	Parameter
Copy As Is	
Add to beginning of string	AZ

Behavior: Action: ADD

标准发布的**A-Z**检索范围规则（在线资源）

3. 对于集中化发布，当传递种类是**Alma-E**时使用下列规则：

Rule group

Source **Type** **Value** Enabled

Conditions logic **Conditions relation**

Condition 1 - Logic

Condition 1 - Source **Type** **Value** **Success If** + -

Condition 1 - Routines + **General Parameter**

Routine **Parameter** + -

Condition 2 - Logic

Condition 2 - Source **Type** **Value** **Success If** + -

Condition 2 - Routines + **General Parameter**

Routine **Parameter** + -

Transformations +

Transformation **Parameter**

+ -

+ -

Behavior

Action

集中化发布的A-Z检索范围规则（Alma-E）

4. 对于集中化发布，当传递种类是在线资源时考虑下列规则：

Rule group <input type="text" value="search_searchscope"/>			
Type	Value		
Source	<input type="text" value="PNX"/>	<input type="text" value="delivery/delcategory"/>	<input checked="" type="checkbox"/> Enabled
Conditions logic		Conditions relation	
Conditions	<input type="text" value="True"/>	<input type="text" value="And"/>	
Condition 1 - Logic <input type="text" value="True"/>			
Condition 1 - Source	Type	Value	Success If
	<input type="text" value="PNX"/>	<input type="text" value="delivery/delcategory"/>	<input type="text" value="Match Current"/>
Condition 1 - Routines			
General Parameter			
<input type="text"/>			
Routine		Parameter	
<input type="text" value="Check that string exists"/>		<input type="text" value="Online Resource\$\$!"/>	
Condition 2 - Logic <input type="text" value="True"/>			
Condition 2 - Source	Type	Value	Success If
	<input type="text" value="PNX"/>	<input type="text" value="display/type"/>	<input type="text" value="Match Last"/>
Condition 2 - Routines			
General Parameter			
<input type="text"/>			
Routine		Parameter	
<input type="text" value="Check that string exists"/>		<input type="text" value="newspaper"/>	
Transformations			
Transformation		Parameter	
<input type="text" value="Copy As Is"/>		<input type="text"/>	
<input type="text" value="Remove Leading String"/>		<input type="text" value="Online Resource\$\$!"/>	
<input type="text" value="Add to beginning of string"/>		<input type="text" value="AZ"/>	
Behavior			
Action	<input type="text" value="ADD"/>		

集中化发布的A-Z检索范围规则（在线资源）

5. 保存新规则，配置更改，重新加载数据，然后进行索引和热插拔。

- **facets/atoz** – 出厂值，**Alma MARC - 模板** 模板创建系统中用于检索的A-Z面板。面板的内容应当为使用规范化表格规范化的题名的第一个字母（A-Z字母转换），使用分配至**AZ**列表进行转换。