
OPAC: Remove Limits from Advanced Search

Created By: Laura Guy
Created on: 5/14/2019

[This article was copied from the Voyager Wiki.]

Introduction

This relates to the "New" Tomcat WebVoyage that is included in Voyager 7.0.1 and forward.

We have several special collections databases that contain only bibliographic records – there is no circulation function related to these databases, and no patron data. Thus we wanted to remove several default aspects of the new user interface, including removing the limits that appear on the Advanced search page. You can also, very easily, use this method to comment out individual limits and prevent them from displaying in the limit listing.

Remove Search Limits from Advanced Search Page

To remove the limits from the Advanced search page, comment out or delete the appropriate buildSearchForm sections in the cl_searchAdvanced.xml file found at: /m1/voyager/xxxdb/tomcat/vwebv/context/vwebv/ui/your_SKIN/xml/contentLayout

Code Example

Change this code:

```
<!-- ##### -->
<!-- ## buildSearchForm ## -->
<!-- ##### -->

<xsl:template name="buildAdvancedSearch">

  <!-- search advanced form - begin -->

  <div id="buildAdvancedSearch">

    <!-- ## Build the search Args ## -->

    <xsl:call-template name="advSearchArgs"/>
```

```

<!-- year label, radio button & selection box -->
<xsl:for-each select="/page:page//page:element[@nameId='yearOption']">

  <div id="searchAdvancedInputs">

    <label for=""><xsl:value-of select="/page:page//
page:element[@nameId='page.search.advanced.year.selection.label']"/page:label" /></label>

    <span>

      <xsl:call-template name="buildSingleRadio">

        <xsl:with-param name="eleName" select="'yearOption'"/>

        <xsl:with-param name="optName" select="'defined'"/>

        <xsl:with-param name="cssClass" select="'searchAdvancedYearMargin'"/>

      </xsl:call-template>

      <xsl:call-template name="buildFormDropDown">

        <xsl:with-param name="eleName" select="'year'"/>

        <xsl:with-param name="cssClass" select="'searchAdvancedToMargin'"/>

      </xsl:call-template>

    </span>
  </div>

  <div id="searchAdvancedInputs">

    <xsl:call-template name="buildSingleRadio">

      <xsl:with-param name="eleName" select="'yearOption'"/>

      <xsl:with-param name="optName" select="'range'"/>

      <xsl:with-param name="cssClass" select="'searchAdvancedBlankMargin'"/>

    </xsl:call-template>

    <xsl:call-template name="buildFormInput">

      <xsl:with-param name="eleName" select="'fromYear'"/>

      <xsl:with-param name="size" select="'7'"/>

      <xsl:with-param name="cssClass" select="'searchAdvancedToMargin'"/>

    </xsl:call-template>

    <xsl:call-template name="buildFormInput">

      <xsl:with-param name="eleName" select="'toYear'"/>

```

```

        <xsl:with-param name="size" select="'7'"/>

        <xsl:with-param name="cssClass" select="'searchAdvancedToMargin'"/>

    </xsl:call-template>

</div>

</xsl:for-each>

<!-- location line -->
<xsl:for-each select="/page:page//page:element[@nameId='location']">

    <div class="limitDiv">

        <xsl:call-template name="buildFormDropDown">

            <xsl:with-param name="eleName" select="'location'"/>

            <xsl:with-param name="cssClass" select="'searchAdvancedLocationMargin'"/>

        </xsl:call-template>

    </div>

</xsl:for-each>

<!-- place line -->
<xsl:for-each select="/page:page//page:element[@nameId='place']">

    <div class="limitDiv">

        <xsl:call-template name="buildLimitSetDropDown">

            <xsl:with-param name="limitType" select="'place'"/>

            <xsl:with-param name="selectedLimit" select="''"/>

            <xsl:with-param name="limitData" select="$Limits"/>

            <xsl:with-param name="cssClass" select="'searchAdvancedPlaceMargin'"/>

        </xsl:call-template>

    </div>

</xsl:for-each>

<!-- material type line -->
<xsl:for-each select="/page:page//page:element[@nameId='type']">

    <div class="limitDiv">

```

```

        <xsl:call-template name="buildLimitSetDropDown">
            <xsl:with-param name="limitType" select="'type'"/>
            <xsl:with-param name="selectedLimit" select="''"/>
            <xsl:with-param name="limitData" select="$Limits"/>
            <xsl:with-param name="cssClass" select="'searchAdvancedMaterialMargin'"/>
        </xsl:call-template>
    </div>
</xsl:for-each>

<!-- ## Status ## -->
<xsl:for-each select="/page:page//page:element[@nameId='status']">
    <div class="limitDiv">
        <xsl:call-template name="buildLimitSetDropDown">
            <xsl:with-param name="limitType" select="'status'"/>
            <xsl:with-param name="selectedLimit" select="''"/>
            <xsl:with-param name="limitData" select="$Limits"/>
            <xsl:with-param name="cssClass" select="'searchAdvancedStatusMargin'"/>
        </xsl:call-template>
    </div>
</xsl:for-each>

<!-- format line -->
<xsl:for-each select="/page:page//page:element[@nameId='medium']">
    <div class="limitDiv">
        <xsl:call-template name="buildLimitSetDropDown">
            <xsl:with-param name="limitType" select="'medium'"/>
            <xsl:with-param name="selectedLimit" select="''"/>
            <xsl:with-param name="limitData" select="$Limits"/>
            <xsl:with-param name="cssClass" select="'searchAdvancedFormatMargin'"/>
        </xsl:call-template>
    </div>
</xsl:for-each>

```

```

<!-- language line -->

<xsl:for-each select="/page:page//page:element[@nameId='language']">

  <div class="limitDiv">

    <xsl:call-template name="buildLimitSetDropDown">

      <xsl:with-param name="limitType" select="'language'"/>

      <xsl:with-param name="limitData" select="$Limits"/>

      <xsl:with-param name="cssClass" select="'searchAdvancedLanguageMargin'"/>

    </xsl:call-template>

  </div>

</xsl:for-each>

  <xsl:call-template name="buildSearchButtons"/>

</div>

<!-- search advanced form - end -->
</xsl:template>

<!-- ##### -->

```

To This:

```

<!-- ##### -->

<!-- ## buildSearchForm ## -->

<!-- ##### -->

<xsl:template name="buildAdvancedSearch">

  <!-- search advanced form - begin -->

  <div id="buildAdvancedSearch">

    <!-- ## Build the search Args ## -->

    <xsl:call-template name="advSearchArgs"/>

    <xsl:call-template name="buildSearchButtons"/>

```

```
</div>

<!-- search advanced form - end -->

</xsl:template>

<!-- ##### -->
```

Removing Specific Limits from the Limits Listing

To remove specific limits from any of the limit categories, you need to edit the:

```
/m1/voyager/xxxdb/tomcat/vwebv/context/vwebv/ui/SKIN/xsl/userTextConfigs/limits.xml
```

file and comment out those limits you want to exclude from the display using the

```
<!--
```

and

```
-->
```

convention for commenting code. For example:

```
<limitGroup type="medium" label="Format:">
    <limit code="all" default="Y">All Formats</limit>
    <limit code="c">Computer File</limit>
    <limit code="k">Photos, Drawings, etc</limit>
    <limit code="g">Slides</limit>
    <limit code="s">Sound Recording</limit>
    <limit code="v">Videorecording</limit>
    <limit code="h">Microform</limit>
    <limit code="m">Motion Picture</limit>
    <limit code="t">Text (Eye-Readable)</limit>
<!--
    <limit code="d">Globe</limit>
```

```
        <limit code="a">Map</limit>
-->
    </limitGroup>
```

Remember to comment your changes.

[Report](#)